Printing date 12/07/2010

Revised On 12/07/2010

1 Identification of the substance and manufacturer

Trade name: OUIK STRIPE ARCTIC WHITE

MANUFACTURED FOR: PIONEER ATHLETICS **4529 INDUSTRIAL PKWY** CLEVELAND, OH 44135 PHONE NUMBER: 800-877-1500

FOR CHEMICAL EMERGENCY **Call INFOTRAC** 1-800-535-5053 24 Hrs. per day, 7 days per week

2 Composition/information on ingredients

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.

	components:	
64742-89-8	VM&P Naphtha	16.34%
74-98-6	propane	12.6%
106-97-8	n-butane	7.4%
142-82-5	heptane	6.05%
64742-47-8	Mineral Spirits	5.8%

3 Hazards identification

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

X Irritant

Irritating to eyes and respiratory system.

Extremely flammable Extremely flammable. Hazard Information for people and the

Extremely flammable liquid and vapor in a pressurized container. Keep away from heat, sparks, and

flame.

Has narcotizing effect.

Risk phrases:

environment:

Extremely flammable.

Irritating to eyes and respiratory system.

Safety phrases:

Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not empty into drains, dispose of this material and its container at hazardous or special waste

collection point

If swallowed, seek medical advice immediately and show this container or label.

Use only in well-ventilated areas.

Special labeling:

Do not spray on a naked flame or any incandescent material. Buildup of explosive mixtures possible without sufficient ventilation.

Effects of chronic

overexposure:

May cause permanent brain and nervous system damage. Repeated overexposure can also damage kidneys, lungs, liver, heart, and blood. Intentional misuse by deliberately inhaling the contents may be harmful or fatal.

NFPA ratings (0 - 4):

Health-Flammability-3 Reactivity-3

HMIS-ratings (0 - 4):

Health-Flammability-Physical Hazard- 3

4 First aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

After skin contact: After eye contact:

Remove contaminated clothing. Wash exposed area with soap and water. Move to fresh air. Rinse opened eye for several minutes under running water. If symptoms persist, consult

a doctor.

After swallowing:

Contact physician or poison control center.

5 Firefighting measures

Extinguishing agents:

CO2, sand, extinguishing powder, or water spray. Fight larger fires with water spray or alcohol resistant

foam.

Special hazards:

No further relevant information available.

Protective equipment:

No special measures required.

(Contd. on page 2)

USA

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 12/07/2010

Revised On 12/07/2010

Trade name: QUIK STRIPE ARCTIC WHITE

MSDS #QS17B

(Contd. of page 1)

6 Accidental release measures

Personal precautions, protective equipment and

emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

up:

Methods and material for containment and cleaning Do not allow product to reach sewage systems or ground water.

Ensure adequate ventilation.

7 Handling and storage

Fire/explosion protection:

Do not spray on a naked flame or any incandescent material. Do not smoke. Protect from electrostatic

discharges.

Conditions for safe storage:

Storage requirements:

Observe pressurized container storage regulations. Consult with your local authorities.

8 Exposure controls/personal protection

Components with limit values that require monitoring at the workplace: 74-98-6 propane PEL 1800 mg/m³, 1000 ppm REL 1800 mg/m³, 1000 ppm TLV Varies mg/m3, 1000 ppm 106-97-8 n-butane REL | 1900 mg/m³, 800 ppm TLV | Varies mg/m³, 1000 ppm 142-82-5 heptane

PEL | 2000 mg/m³, 500 ppm REL | Short-term value: C 1800* mg/m³, C 440* ppm

Long-term value: 350 mg/m³, 85 ppm

TLV Short-term value: 2050 mg/m³, 500 ppm Long-term value: 1640 mg/m³, 400 ppm

Hygienic protection:

Keep away from foodstuffs and animal feed. Wash hands after use.

Breathing equipment:

A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical hygeine. Protective gloves. The glove material has to be impermeable and resistant to the substance. No glove recommendation can be given.

Hand protection:

Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

Odor: Aromatic

pH-value: **Boiling point:** Not determined. -44°C (-47°F)

Flash point:

-19°C (-2°F)

Auto igniting:

Product is not self-igniting.

Danger of explosion:

Stable at normal temperatures. Can may burst when exposed to temperatures exceeding 120

degrees fahrenheit.

In use, may form flammable/explosive vapour-air mixture.

Lower Explosion Limit: **Upper Explosion Limit:**

1.7 Vol % 10.9 Vol %

Vapor Pressure:

40 PSI, 2750 hPa Between 0.77 and 0.85 (Water equals 1.00)

Specific Gravity:

MIR Value:

525.4 g/l / 4.38 lb/gl

VOC content: VOC content (less exempt solvents): 48.7 % 17.7 %

0.58

Solids content: Other information

33.0 % No further relevant information available.

10 Stability and reactivity

Conditions to avoid: Possibility of hazardous reactions:

Do not allow the can to exceed 120 degrees Fahrenheit. Stable at normal temperatures.

No dangerous reactions known.

(Contd. on page 3)

Printing date 12/07/2010

Revised On 12/07/2010

(Contd. of page 2)

Trade name: QUIK STRIPE ARCTIC WHITE

MSDS #QS17B

Hazardous

decomposition:

No dangerous decomposition products known.

11 Toxicological information

Skin effects:

No irritant effect. Irritating effect.

Eye effects: Sensitization:

No sensitizing effects known.

12 Ecological information

Aquatic toxicity:

Hazardous for water, do not empty into drains.

Other information:

This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's),

perfluorocarbons (PFC's), or chlorinated solvents.

13 Disposal considerations

DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact.

Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

Recommendation:

Completely empty cans should be recycled.

14 Transport information

Hazard class:

2.1

Identification number:

N/A

Label

2.1

ADR/RID/TDG class:

2

UN-Number:

5F Gases

Special marking:

1950

UN proper shipping name:

Symbol (fish and tree) 1950 AEROSOLS

IMDG Class:

Packaging group:

2.1 11

F-D,S-U

EMS Number:

Yes

Marine pollutant:

ICAO/IATA Class:

Symbol (fish and tree) 2.1

Proper shipping name:

Aerosols, Flammable

Environmental hazards:

Consumer Commodity ORM-D Product contains environmentally hazardous substances: heptane

15 Regulatory information

SARA Section 355 (extremely hazardous substances):

None of the ingredients in this product are listed

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA:

All ingredients are listed.

CPSC:

This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead

California Proposition 65 chemicals known to cause cancer:

100-41-4 ethyl benzene

CANADIAN

Canada:

ENVIRONMENTAL PROTECTION ACT: WHMIS Symbols for

All hazardous ingredients for this product appear on the Canadian Domestice Substance List.

Compressed gas

D2B - Toxic material causing other toxic effects



EPA:

A= Known human carcinogen

B= Probable human carcinogen

C= Possible human carcinogen

D= Not classifiable as to human carcinogenicity: Inadequate human and animal evidence of carcinogenicity (or no data is available).

'Data are inadequate for an assessment of human carcinogeni potential.'

'Inadequate information to assess carcinogenic potential.

142-82-5 heptane

IARC:

Group 2A: The ingredient is probably carcinogenic to humans.

Group 2B: The ingredient is possibly carcinogenic to humans. There is limited evidence of carcinogenicity.

Group 3: The ingredient is unclassifiable as to its carcinogenicity to humans

13463-67-7 titanium dioxide

2B

D

(Contd. on page 4)

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 12/07/2010 Revised On 12/07/2010 Trade name. QUIK STRIPE ARCTIC WHITE MSDS #QS17B (Contd. of page 3) ACGIH: A1-designates a confirmed human carcinogen. A2-designates a suspected human carcinogen. A3-designates an animal carcinogen. A4-designates "not classifiable as a human carcinogen". 13463-67-7 titanium dioxide A4 NIOSH: 13463-67-7 titanium dioxide Risk phrases: Extremely flammable. Irritating to eyes and respiratory system. Safety phrases: Keep out of the reach of children. Keep away from sources of ignition - No smoking.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point If swallowed, seek medical advice immediately and show this container or label. Use only in well-ventilated areas. 16 Other information This product was manufactured in the U.S.A. The information on this sheet is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Contact: Regulatory Affairs

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) P: Severe Marine Pollutant P: Marine Pollutant

P: Marine Pollutant
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organization for Standardization
ISO: International Organization for Standardization
EPA: Environmental Protection Agency
IARC: International Agency for the Research of Cancer
NIOSH: National Institute for Occupational Safety and Health
TSCA: Toxic Substances Control Act
CPSC: Consumer Product Safety Commission

USA -