

MATERIAL SAFETY DATA SHEET



WALL POWER

HMIS		NFPA	Personal protective equipment
Health	0	0	None / Aucune / Ninguno
Fire Hazard	4	4	
Reactivity	0	0	

Version Number: 1

Preparation date: 2007-04-10

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: WALL POWER

MSDS #: 113730003

Product code: 113730003, 03732

Recommended use: Cleaning product. Specialty .

Manufacturer, importer, supplier:

US Headquarters	Canadian Headquarters
JohnsonDiversey, Inc.	JohnsonDiversey - Canada, Inc.
8310 16th St.	2401 Bristol Circle
Sturtevant, Wisconsin 53177-0902	Oakville, Ontario L6H 6P1
Phone: 1-888-352-2249	Phone: 1-800-668-3131
MSDS Internet Address:	
www.johnsondiversey.com	

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING. FLAMMABLE . CONTENTS UNDER PRESSURE. The product contains no substances which at their given concentration, are considered to be hazardous to health.

Principle routes of exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Eye contact: None known.

Skin contact: None known.

Inhalation: None known.

Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Ethyl alcohol	64-17-5	1 - 5%	=1501 mg/kg	Not available	=124.7 mg/L (4 h)
Isobutane	75-28-5	5 - 10%	Not available	Not available	=658 mg/L (4 h)

4. FIRST AID MEASURES

Eye contact: Rinse with plenty of water.

Skin contact: Rinse with plenty of water.

Inhalation: No specific first aid measures are required.

Ingestion: No specific first aid measures are required.

Aggravated Medical Conditions: None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or "alcohol" foam.

Specific hazards: Aerosol product - Containers may rocket or explode in heat of fire. Keep product and empty container away from heat and sources of ignition. NFPA 30B Level 1 Aerosol .

Unusual hazards: None known

Specific methods: Use water spray to keep fire-exposed containers cool. Aerosol Product - Containers may rocket or explode in heat of fire.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Put on appropriate personal protective equipment (see Section 8.). DO NOT use combustible materials such as sawdust.
Environmental precautions and clean-up methods:	Clean-up methods - large spillage. Eliminate all ignition sources . Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Keep away from open flames, hot surfaces and sources of ignition. Handle in accordance with good industrial hygiene and safety practice. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. KEEP OUT OF REACH OF CHILDREN. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Do not pierce or burn, even after use. Store in a cool, dry, well ventilated area away from heat or open flame. NFPA 30B Level 1 Aerosol .

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements.

Personal Protective Equipment

Eye protection:	No special requirements under normal use conditions.
Hand protection:	No special requirements under normal use conditions
Skin and body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Ethyl alcohol	64-17-5	1000 ppm (TWA)	1000 ppm (TWA) 1900 mg/m ³ (TWA)	1000 ppm (TWA) 1900 mg/m ³ (TWA)
Isobutane	75-28-5	1000 ppm (TWA)		

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Aerosol	Bulk density:	No information available
pH:	12.1	Dilution pH:	NA
Appearance:	Aerosol	Vapor density:	No information available
Color:	White	Evaporation Rate	No information available
Odor:	Mild Ammoniacal	Boiling point/range:	Not determined
Specific gravity:	0.983	Melting point/range:	Not determined
Density:	8.20 lbs/gal	Decomposition temperature:	Not determined
VOC:	8.8% *	Autoignition temperature:	No information available
Flash point:	<20°F <-6.7°C	Partition coefficient (n-octanol/water):	No information available
Solubility:	Soluble	Solubility in other solvents:	No information available
Viscosity:	No information available	Elemental Phosphorus:	0 %P

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability:	The product is stable.
Polymerization:	Hazardous polymerization does not occur.
Hazardous decomposition products:	None reasonably foreseeable.
Materials to avoid:	Oxidising agents.
Conditions to avoid:	Keep away from heat. Keep away from open flames, hot surfaces and sources of ignition. Strong sunlight for prolonged periods..

11. TOXICOLOGICAL INFORMATION

Acute toxicity	Oral LD50 estimated to be greater than 5000 mg/kg
Component Information:	See Section 3
Chronic toxicity:	None known
Specific effects	
Carcinogenic effects:	None known
Mutagenic effects:	None known

11. TOXICOLOGICAL INFORMATION

Reproductive toxicity: None known
Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:
Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Ethyl alcohol	64-17-5	X	X	X	X
Isobutane	75-28-5	X	X	X	-

CERCLA/ SARA

None

SARA 311/312 Hazard Categories

Immediate: -
Delayed: -
Fire: X
Reactivity: -
Sudden Release of Pressure: X

Canada

WHMIS hazard class: B5 Flammable aerosol.



Ingredient(s)	CAS #	NPRI
Ethyl alcohol	64-17-5	X
Isobutane	75-28-5	X

16. OTHER INFORMATION

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.